

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

In the Claims:

1-113. (Canceled)

114. (Withdrawn) A process of producing a polymer comprising:

- (a) providing hydroxyl-carboxyl protomers; and
- (b) condensing said hydroxyl-carboxyl protomers to form the

polymer.

115. (Withdrawn) The process of claim 114, wherein at least one of said hydroxyl-carboxyl protomers has a structure of:



wherein:

Y is a proteinaceous material, OH or NH₂; and

R_a is selected from the group consisting of -(CH₂)₃-NH-C(NH₂)(=NH),
 -(CH₂)₃-NH-C(OH)(=NH), -(CH₂)₄NH₂, -(CH₂)₄OH, -CH₂OH, -
 CHOHCH₃, -CH₂-C₆H₄ p-OH, -CH₂CONH₂, -CH₂COOH, -(CH₂)₂CONH₂, -
 (CH₂)₂COOH, -CH₂SH, -H, -CH₃, -CH₂c(C=CH-N=CH-NH-), -CH(CH₃)CH₂CH₃, -
 CH₂CH(CH₃)₂, -(CH₂)₂SCH₃,
 -CH₂C₆H₅, -CH₂-c(C=CH-NH-Ph-), and -CH(CH₃)₂.

116. (Withdrawn) The process of claim 114, wherein at least one of said hydroxyl-carboxyl protomers has a structure



wherein:

n is 0 or a positive integer;

Y is a proteinaceous material, OH or NH₂; and

R_a, R_c and each one of R_n is independently selected from the group consisting of

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

$-(\text{CH}_2)_3\text{-NH-C}(\text{NH}_2)(=\text{NH})$, $-(\text{CH}_2)_3\text{-NH-C}(\text{OH})(=\text{NH})$, $-(\text{CH}_2)_4\text{NH}_2$, $-(\text{CH}_2)_4\text{OH}$,
 $-\text{CH}_2\text{OH}$, $-\text{CHOHCH}_3$, $-\text{CH}_2\text{-C}_6\text{H}_4$ p-OH, $-\text{CH}_2\text{CONH}_2$, $-\text{CH}_2\text{COOH}$, $-(\text{CH}_2)_2\text{CONH}_2$, $-(\text{CH}_2)_2\text{COOH}$, $-\text{CH}_2\text{SH}$, $-\text{H}$, $-\text{CH}_3$, $-\text{CH}_2\text{c}(\text{C}=\text{CH-N}=\text{CH-NH-})$, $-\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_3$,
 $-\text{CH}_2\text{CH}(\text{CH}_3)_2$, $-(\text{CH}_2)_2\text{SCH}_3$, $-\text{CH}_2\text{C}_6\text{H}_5$, $-\text{CH}_2\text{-c}(\text{C}=\text{CH-NH-Ph-})$, and
 $-\text{CH}(\text{CH}_3)_2$.

117. (Withdrawn) The process of claim 114, wherein said providing said hydroxyl-carboxyl protomers comprises:

- (i) providing a protein-containing substrate; and either or both
 - (ii) replacing primary amines of proteinaceous components of said protein-containing substrate with hydroxyl groups; and / or
 - (iii) replacing amide groups of proteinaceous components of said protein-containing substrate with carboxyl groups;
- so as to make said protomers from said proteinaceous components.

118. (Withdrawn) The process of claim 117, wherein said providing said hydroxyl-carboxyl protomers comprises:

- (i) providing a protein-containing substrate; and
 - (ii) replacing primary amines of proteinaceous components of said protein-containing substrate with hydroxyl groups;
- so as to make said protomers from said proteinaceous components.

119. (Withdrawn) The process of claim 117, wherein said providing said hydroxyl-carboxyl protomers comprises:

- (i) providing a protein-containing substrate; and
 - (ii) replacing amide groups of proteinaceous components of said protein-containing substrate with carboxyl groups;
- so as to make said protomers from said proteinaceous components.

In re Application of: Sergei BRAUN
Serial No.: 10/536,467
Filed: May 25, 2005
Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
Group Art Unit: 1796
Attorney Docket: 29948

120. (Withdrawn) The process of claim 117, wherein prior to said replacing, proteinaceous compounds in said protein containing substrate are hydrolyzed.

121. (Withdrawn) The process of claim 117, wherein said replacing comprises reacting said proteinaceous compounds with nitrous acid or nitrous oxides.

122. (Withdrawn) The process of claim 114, wherein said reacting takes place in an aqueous reaction solution, the pH of said aqueous reaction solution is adjusted by the addition of at least one compound, said at least one compound being selected from the group consisting of amine, carboxylic acid and a conjugate base of a carboxylic acid.

123. (Withdrawn) A process of producing a polymer comprising:

- (a) providing hydroxyl-carboxyl protomers;
- (b) providing at least one copolymer;
- (c) combining said hydroxyl-carboxyl protomers with said at least one copolymer to make a precursor mix; and
- (d) condensing molecules in said precursor mix to form the polymer.

124. (Withdrawn) The process of claim 123, wherein said condensing is reaction of a hydroxyl group of a first protomer with a carboxyl group of a second protomer so as to form an inter-protomer ester bond.

125. (Withdrawn) The process of claim 123, wherein said condensing is bond-forming reaction of a first functional group of a first protomer with a second functional group of a copolymer molecule and a bond-forming reaction of a third functional group of a second protomer with a fourth functional group of said copolymer molecule.

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

126. (Withdrawn) The process of claim 123, wherein said copolymer is monofunctional, having only one functional group.

127. (Withdrawn) The process of claim 123, wherein said copolymer is monofunctional, having at least two functional groups.

128. (Withdrawn) The process of claim 123, wherein said condensing is performed at a temperature of lower than about 180°C.


129. (Withdrawn) The process of claim 123, wherein said condensing is performed at a temperature of lower than about 150°C.

130. (Withdrawn) The process of claim 123, wherein said condensing is performed in the presence of a catalyst.

131. (Withdrawn) A polymer made according to the process of claim 114.

132. (Currently Amended) A polymer comprising at least one bond A-B, wherein

A is selected from the group of radicals consisting of:



and

B is selected from the group of radicals consisting of






In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948



wherein ~~R_A and R_B~~ are independently selected from the group
 consisting of:



wherein Y and Z are independently selected from the group consisting of OH and a proteinaceous material; and

wherein W and X, are independently selected from the group consisting of H and a proteinaceous material.

133. (Original) The polymer of claim 132 comprising at least two bonds A-B.

134. (Original) The polymer of claim 132 comprising at least five bonds A-B.

135. (Original) The polymer of claim 132, wherein:

A is a $(\text{NHX})(\text{COY})\text{CH}-(\text{CH}_2)_3-\text{NH}-\text{C}(=\text{NH})\text{O}\cdot$ radical; and

B is a $(\text{NHW})(\text{COZ})\text{CH}-\text{CH}_2-\text{C}(=\text{O})\cdot$ radical.

136. (Original) The polymer of claim 132, wherein:

A is a $(\text{NHX})(\text{COY})\text{CH}-(\text{CH}_2)_4\text{O}\cdot$ radical; and

B is a $(\text{NHW})(\text{COZ})\text{CH}-\text{CH}_2-\text{C}(=\text{O})\cdot$ radical.

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008


Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

137. (Original) The polymer of claim 132, wherein:
 A is a $(\text{NHX})(\text{COY})\text{CH}-\text{CH}_2\text{O}\cdot$ radical; and
 B is a $(\text{NHW})(\text{COZ})\text{CH}-\text{CH}_2-\text{C}(=\text{O})\cdot$ radical.
138. (Original) The polymer of claim 132, wherein:
 A is a $(\text{NHX})(\text{COY})\text{CH}-\text{CHCH}_3\text{O}\cdot$ radical; and
 B is a $(\text{NHW})(\text{COZ})\text{CH}-\text{CH}_2-\text{C}(=\text{O})\cdot$ radical.
139. (Original) The polymer of claim 132, wherein:
 A is a $(\text{NHX})(\text{COY})\text{CH}-\text{CH}_2-\text{C}_6\text{H}_4\text{ p-O}\cdot$ radical; and
 B is a $(\text{NHW})(\text{COZ})\text{CH}-\text{CH}_2-\text{C}(=\text{O})\cdot$ radical.
140. (Canceled)
141. (Original) The polymer of claim 132, wherein:
 A is a $(\text{NHX})(\text{COY})\text{CH}-(\text{CH}_2)_3-\text{NH}-\text{C}(=\text{NH})\text{O}\cdot$ radical; and
 B is a $(\text{NHW})(\text{COZ})\text{CH}-(\text{CH}_2)_2-\text{C}(=\text{O})\cdot$ radical.
142. (Original) The polymer of claim 132, wherein:
 A is a $(\text{NHX})(\text{COY})\text{CH}-(\text{CH}_2)_4\text{O}\cdot$ radical; and
 B is a $(\text{NHW})(\text{COZ})\text{CH}-(\text{CH}_2)_2-\text{C}(=\text{O})\cdot$ radical.
143. (Original) The polymer of claim 132, wherein:
 A is a $(\text{NHX})(\text{COY})\text{CH}-\text{CH}_2\text{O}\cdot$ radical; and
 B is a $(\text{NHW})(\text{COZ})\text{CH}-(\text{CH}_2)_2-\text{C}(=\text{O})\cdot$ radical.
144. (Canceled)

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

145. (Withdrawn) A polymer of the structure:



wherein n, o, p and q are 0 or a positive integer; i, j, k and l, if existing, are from 1 to n, o, p and q, respectively; each R_r, R_{Ai}, R_{Bj}, R_{Ck} and R_{Di} is independently selected from the group consisting of -(CH₂)₃-NH-C(NH₂)(=NH), -(CH₂)₃-NH-C(OH)(=NH),


-(CH₂)₄NH₂, -(CH₂)₄OH, -CH₂OH, -CHOHCH₃, -CH₂-C₆H₄ p-OH, -CH₂CONH₂,

-CH₂COOH, -(CH₂)₂CONH₂, -(CH₂)₂COOH, -CH₂SH, -H, -CH₃,

-CH₂c(C=CH-N=CH-NH-), -CH(CH₃)CH₂CH₃, -CH₂CH(CH₃)₂, -(CH₂)₂SCH₃,

-CH₂C₆H₅, -CH₂-c(C=CH-NH-Ph-), and -CH(CH₃)₂; and, wherein S, T, U and V is independently selected from the group consisting of H, OH, NH₂ or a proteinaceous material.

146. (Withdrawn) A polymer of the structure:



wherein n, o, p and q are 0 or a positive integer; i, j, k and l, if existing, are from 1 to n, o, p and q, respectively; each R_r, R_{Ai}, R_{Bj}, R_{Ck} and R_{Di} is

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,


$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p-OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,

$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

$-CH_2C_6H_5$, $-CH_2-c(C=CH-NH-Ph-)$, and $-CH(CH_3)_2$; and, wherein S, T, U and V is independently selected from the group consisting of H, OH, NH_2 or a proteinaceous material.

147. (Withdrawn) A polymer of the structure:



wherein n , o , p and q are 0 or a positive integer; i , j , k and l , if existing, are from 1 to n , o , p and q , respectively; each R_i , R_{Ai} , R_{Bj} , R_{Ck} and R_{Dl} is independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,

$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p-OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,


$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

$-\text{CH}_2\text{C}_6\text{H}_5$, $-\text{CH}_2-\text{c}(\text{C}=\text{CH}-\text{NH}-\text{Ph}-)$, and $-\text{CH}(\text{CH}_3)_2$; and, wherein S, T, U and V is independently selected from the group consisting of H, OH, NH_2 or a proteinaceous material.

148. (Withdrawn) A polymer of the structure:



wherein n, o, p and q are 0 or a positive integer; i, j, k and l, if existing, are from 1 to n, o, p and q, respectively; each R_r , R_{Ai} , R_{Bj} , R_{Ck} and R_{Di} is independently selected from the group consisting of $-(\text{CH}_2)_3-\text{NH}-\text{C}(\text{NH}_2)(=\text{NH})$, $-(\text{CH}_2)_3-\text{NH}-\text{C}(\text{OH})(=\text{NH})$,

$-(\text{CH}_2)_4\text{NH}_2$, $-(\text{CH}_2)_4\text{OH}$, $-\text{CH}_2\text{OH}$, $-\text{CHOHCH}_3$, $-\text{CH}_2-\text{C}_6\text{H}_4$ p-OH, $-\text{CH}_2\text{CONH}_2$,

$-\text{CH}_2\text{COOH}$, $-(\text{CH}_2)_2\text{CONH}_2$, $-(\text{CH}_2)_2\text{COOH}$, $-\text{CH}_2\text{SH}$, $-\text{H}$, $-\text{CH}_3$,


$-\text{CH}_2\text{c}(\text{C}=\text{CH}-\text{N}=\text{CH}-\text{NH}-)$, $-\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_3$, $-\text{CH}_2\text{CH}(\text{CH}_3)_2$, $-(\text{CH}_2)_2\text{SCH}_3$,

$-\text{CH}_2\text{C}_6\text{H}_5$, $-\text{CH}_2-\text{c}(\text{C}=\text{CH}-\text{NH}-\text{Ph}-)$, and $-\text{CH}(\text{CH}_3)_2$; and, wherein S, T, U and V is independently selected from the group consisting of H, OH, NH_2 or a proteinaceous material.

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

149. (Withdrawn) A polymer of the structure:



wherein n , o , p and q are 0 or a positive integer; i , j , k and l , if existing, are from 1 to n , o , p and q , respectively; each R_i , R_{Ai} , R_{Bj} , R_{Ck} and R_{Dl} is independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,

$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p -OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,


$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

$-CH_2C_6H_5$, $-CH_2-c(C=CH-NH-Ph-)$, and $-CH(CH_3)_2$; and, wherein S , T , U and V is independently selected from the group consisting of H , OH , NH_2 or a proteinaceous material.

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

150. (Withdrawn) A polymer of the structure:



wherein n , o , p and q are 0 or a positive integer; i , j , k and l , if existing, are from 1 to n , o , p and q , respectively; each R_i , R_{Ai} , R_{Bj} , R_{Ck} and R_{Dl} is independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,

$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p -OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,


$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

$-CH_2C_6H_5$, $-CH_2-c(C=CH-NH-Ph-)$, and $-CH(CH_3)_2$; and, wherein S , T , U and V is independently selected from the group consisting of H , OH , NH_2 or a proteinaceous material.

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

151. (Withdrawn) A polymer of the structure:



wherein n, o, p and q are 0 or a positive integer; i, j, k and l, if existing, are from 1 to n, o, p and q, respectively; each R_i, R_{Al}, R_{Bj}, R_{Ck} and R_{Dl} is independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,

$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p-OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,

$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

$-CH_2C_6H_5$, $-CH_2-c(C=CH-NH-Ph-)$, and $-CH(CH_3)_2$; and, wherein S, T, U and V is independently selected from the group consisting of H, OH, NH₂ or a proteinaceous material.

In re Application of: Sergei BRAUN

Serial No.: 10/536,467

Filed: May 25, 2005


Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH

Group Art Unit: 1796

Attorney Docket: 29948

152. (Withdrawn) A polymer of the structure:



wherein n , o , p and q are 0 or a positive integer; i , j , k and l , if existing, are from 1 to n , o , p and q , respectively; each R , R_{Ai} , R_{Bj} , R_{Ck} and R_{Dl} is independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,

$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p -OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,


$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

$-CH_2C_6H_5$, $-CH_2-c(C=CH-NH-Ph-)$, and $-CH(CH_3)_2$; and, wherein S , T , U and V is independently selected from the group consisting of H , OH , NH_2 or a proteinaceous material.

In re Application of: Sergei BRAUN
 Serial No.: 10/536,467
 Filed: May 25, 2005
 Office Action Mailing Date: February 21, 2008

Examiner: Gennadiy MESH
 Group Art Unit: 1796
 Attorney Docket: 29948

153. (Withdrawn) A polymer of the structure:



wherein n, o, p and q are 0 or a positive integer; i, j, k and l, if existing, are from 1 to n, o, p and q, respectively; each R_i, R_{Ai}, R_{Bj}, R_{Ck} and R_{Dl} is independently selected from the group consisting of $-(CH_2)_3-NH-C(NH_2)(=NH)$, $-(CH_2)_3-NH-C(OH)(=NH)$,

$-(CH_2)_4NH_2$, $-(CH_2)_4OH$, $-CH_2OH$, $-CHOHCH_3$, $-CH_2-C_6H_4$ p-OH, $-CH_2CONH_2$,

$-CH_2COOH$, $-(CH_2)_2CONH_2$, $-(CH_2)_2COOH$, $-CH_2SH$, $-H$, $-CH_3$,

$-CH_2c(C=CH-N=CH-NH-)$, $-CH(CH_3)CH_2CH_3$, $-CH_2CH(CH_3)_2$, $-(CH_2)_2SCH_3$,

$-CH_2C_6H_5$, $-CH_2-c(C=CH-NH-Ph-)$, and $-CH(CH_3)_2$; and, wherein S, T, U and V is independently selected from the group consisting of H, OH, NH₂ or a proteinaceous material.